



European  
Commission

# Drought in Europe April 2022

*GDO Analytical Report*

2022



Rapid  
Mapping



Risk & Recovery  
Mapping



Floods



Fires



Droughts



Population



Built-up  
areas

This publication is a Technical report by the Joint Research Centre (JRC), the European Commission's science and knowledge service. It aims to provide evidence-based scientific support to the European policymaking process. The scientific output expressed does not imply a policy position of the European Commission. Neither the European Commission nor any person acting on behalf of the Commission is responsible for the use that might be made of this publication. For information on the methodology and quality underlying the data used in this publication for which the source is neither Eurostat nor other Commission services, users should contact the referenced source. The designations employed and the presentation of material on the maps do not imply the expression of any opinion whatsoever on the part of the European Union concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.

### Contact information

Name: Andrea Toreti  
Address: Via E. Fermi 2749, I-21027 ISPRA (VA), Italy  
Email : Andrea.TORETI@ec.europa.eu

### EU Science Hub

<https://joint-research-centre.ec.europa.eu/>

JRC129395

EUR 31065 EN

PDF ISBN 978-92-76-52327-7 ISSN 1831-9424 doi:10.2760/40384

Luxembourg: Publications Office of the European Union, 2022

© European Union 2022



The reuse policy of the European Commission is implemented by the Commission Decision 2011/833/EU of 12 December 2011 on the reuse of Commission documents (OJ L 330, 14.12.2011, p. 39). Except otherwise noted, the reuse of this document is authorised under the Creative Commons Attribution 4.0 International (CC BY 4.0) licence (<https://creativecommons.org/licenses/by/4.0/>). This means that reuse is allowed provided appropriate credit is given and any changes are indicated. For any use or reproduction of photos or other material that is not owned by the EU, permission must be sought directly from the copyright holders.

All content © European Union 2022, except: Figure 6 (source: Hungarian Hydrological Forecasting Service <https://www.hydroinfo.hu/>); Figure 7 (source: Romanian National Institute of Hydrology and Water Management - Institutul National de Hidrologie si Gospodarie a Apelor <http://www.inhga.ro/>); Figures 8, 9, and 14 (source: Permanent Observatory on water use - Po River District Basin Authority); Figure 10 (source: CIMA Research Foundation); Figures 12 and 13 (source: ENTSO-E Transparency Platform)

How to cite this report: Toreti, A., Bavera, D., Avanzi, F., Cammalleri, C., De Felice, M., de Jager, A., Di Ciollo, C., Gardella, M., Gabellani, S., Leoni, P., Maetens, W., Magni, D., Manfron G., Masante, D., Mazzeschi, M., McCormick, N., Naumann, G., Niemeyer, S., Rossi, L., Seguini, L., Spinoni, J., van den Berg, M., Drought in Europe April 2022, EUR 31065 EN, Publications Office of the European Union, Luxembourg, 2022, ISBN 978-92-76-52327-7 (online), doi:10.2760/40384 (online), JRC129395.

# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022



### Contents

Executive summary .....	1
Standardized Precipitation Index (SPI) .....	1
Ensemble Soil Moisture Anomaly .....	3
FAPAR anomaly .....	4
Low-Flow Index .....	5
Snow Water Equivalent .....	10
Seasonal forecast .....	11
Reported impacts .....	12
<i>Glossary of terms and acronyms:</i> .....	16
<i>EDO indicators versioning:</i> .....	16
<i>Distribution:</i> .....	17
<i>List of Figures</i> .....	17
<i>Authors:</i> .....	19

### Executive summary

- A severe drought has been affecting large areas of Europe, Po and Danube river basins in particular. Dry conditions are related to a persistent lack of precipitation since December 2021 in the Southern Alps region, and to a severe lack of precipitation in the first three months of 2022 in the eastern European region.
- The severe precipitation deficit has been affecting main river discharges (Po and Danube) and their tributaries. The stored water volume for energy production is very low, making difficult the optimisation of hydropower generation. Lower water availability in southern Europe makes competition for water uses harder and earlier. Winter crops in Spain and Italy are in sub-optimal conditions, and water stress has already reduced the yield potential.
- A short period of light precipitation at the beginning of April temporarily helped to limit an exacerbation of the snow deficit after the already poor snow season in the Southern Alps. On the 4<sup>th</sup> of April, the deficit compared to the 2009-2021 median conditions was -61% for the Italian Alps. The current deficit confirms extremely low accumulations. These conditions cause concerns for melting snow contribution to river discharges in late spring, increasing the likelihood of hydrological drought in the coming months.
- Drier than normal conditions are forecasted for most of southern and south-eastern Europe until June.

### Standardized Precipitation Index (SPI)

The SPI<sup>1</sup> provides information on the intensity and duration of the precipitation deficit (or surplus). The SPI-3 (3-month accumulation period) shows a wide dry area from south-western France to south-eastern Ukraine. The dry conditions for northern Italy reported in the March 2022 GDO Analytical Report<sup>2</sup> have been expanding eastwards. Extremely poor precipitation in the analysed period has been observed in north-western Italy, northern Bosnia, northern

---

<sup>1</sup>SPI is used to monitor the occurrence of drought. The lower (i.e., more negative) the SPI, the more intense is the drought. SPI can be computed for different accumulation periods: the 3 months period is often used to evaluate agricultural drought and the 12-month accumulation period can be used for hydrological drought, when rivers fall dry and groundwater tables lower.

<sup>2</sup> [https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202203\\_Northern\\_Italy.pdf](https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202203_Northern_Italy.pdf)

# GDO Analytical Report


## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022




Bulgaria, eastern Romania, Moldova and southern Ukraine (Fig. 1). Severe precipitation deficit affects the water level of most of the main tributaries of the Po River.

Considering SPI-1 (1-month accumulation period), extremely lower than normal precipitation amounts were recorded in March 2022 for large parts of Europe, except for the Iberian Peninsula, Iceland, the north-western coast of Scandinavia, and Turkey (where precipitation was higher than normal; Fig. 2). As for the Iberian Peninsula, the recent precipitation events have contributed to a partial recovery from the dry conditions experienced at the beginning of the year<sup>3</sup>.



**Figure 1:** Standardized Precipitation Index SPI-3 in March 2022.

<sup>3</sup> [https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202202\\_Western\\_Mediterranean.pdf](https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202202_Western_Mediterranean.pdf)



**Figure 2:** Standardized Precipitation Index SPI-1 in March 2022.

### Ensemble Soil Moisture Anomaly

Lack of precipitation induces a reduction of soil water content. The aim of the Soil Moisture Anomaly index is to provide an assessment of the deviations of root zone water content from normal conditions. This is a direct measure of the drought associated with the difficulty of plants in extracting water from the soil.

Drier than normal soil moisture conditions were observed at the end of March 2022 in most of northern Italy, Hungary, eastern Romania, and southern Ukraine. Soil moisture conditions coincide well with the spatial distribution of the SPI-3 (Fig. 3). In the Iberian Peninsula, the recent precipitation events helped to recover from the dry soil conditions reported in February.<sup>4</sup> Along the Mediterranean coastal areas of Spain, soil conditions are wetter than normal.

<sup>4</sup> [https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202202\\_Western\\_Mediterranean.pdf](https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202202_Western_Mediterranean.pdf)




**Figure 3:** Ensemble Soil Moisture Anomaly - end of March 2022.

### FAPAR anomaly

The satellite-based fraction of Absorbed Photosynthetically Active Radiation (FAPAR) monitors the fraction of solar energy absorbed by leaves. It is a measure of vegetation health and growth. FAPAR anomalies, and specifically negative deviations from the long-term average, are an indicator of possible drought impacts on vegetation.

The mild temperatures observed over most of central Europe during winter caused higher-than-normal FAPAR values (Fig. 4), pointing to an early start of the growing season. Soil moisture becomes very important for plant growing conditions - and hence FAPAR values - later during spring and summer that are key periods in terms of drought impacts in the agriculture sector. However in the Iberian Peninsula and Turkey, despite the current wetter than normal conditions, vegetation is still suffering from the preceding winter dry period (see also February GDO analytical report on drought in western Mediterranean<sup>5</sup>). Vegetation conditions data confirm that precipitation was not enough to achieve a full recovery. Considering the usually dry summer over the area, this deficit is of concern for impacts that may occur later in the season.

<sup>5</sup> [https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202202\\_Western\\_Mediterranean.pdf](https://edo.jrc.ec.europa.eu/documents/news/GDO-EDODroughtNews202202_Western_Mediterranean.pdf)



**Figure 4:** FAPAR Anomaly - end of March 2022.

## Low-Flow Index

The Low-Flow Index (LFI) based on the daily river water discharge simulated by the LISFLOOD hydrological model, captures consecutive periods of unusually low streamflow. It compares the consequent water deficit during those periods with the historical climatological conditions.


At the end of March 2022, the LFI largely follows the spatial pattern of both soil moisture and SPI-3 conditions in the Po and Danube river basins (Fig. 5). There are strong deficits in the eastern part of the Po basin, and along the Danube River.



# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022



**Figure 5:** Low-Flow Index (LFI) at the end of March 2022. A Low-Flow Index of 0 corresponds to no drought and a value of 1 to the highest drought hazard.

Most of the measured discharge data for the Danube River are just slightly above the minimum levels, indicating severe hydrological drought.<sup>6</sup> The water level in Budapest is shown in Figure 6, while the decreasing trend in the Romanian section of the Danube River is displayed in Figure 7.


---

<sup>6</sup> [http://www.inhga.ro/diagnoza\\_si\\_proгноza\\_dunare](http://www.inhga.ro/diagnoza_si_proгноza_dunare); <https://www.hidmet.gov.rs/eng/hidrologija/radio.php>;  
<https://www.noel.gv.at/wasserstand/#/en/Messstellen/Map/Durchfluss>;  
[https://www.hydroinfo.hu/en/hidinfo/hidinfo\\_graf\\_duna.html](https://www.hydroinfo.hu/en/hidinfo/hidinfo_graf_duna.html); <https://www.doris.bmk.gv.at/en/fairway-information/water-levels/schwedenbruecke-donaukanal>


# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022




**Figure 6:** Water level time-series of the Danube (Budapest) from 25<sup>th</sup> March 2022 to 22<sup>nd</sup> April 2022. Source: Hungarian Hydrological Forecasting Service (<https://www.hydroinfo.hu>)



**Figure 7:** Water level trend of the Danube (Budapest). Source: Romanian National Institute of Hydrology and Water Management (Institutul National de Hidrologie si Gospodarie a Apelor <http://www.inhga.ro>)

Concerning the Po river, the hydrological drought is confirmed by the analyses performed on the observed data by the Po River District Basin Authority. The Standardized Flow Index (SFI), calculated from observations in the main sections of the Po river in March, points to: extreme hydrological drought at most of the main measurement sections (Piacenza – Fig. 8), Cremona, Boretto and Pontelagoscuro with SFI lower than  $-2$ ); severe hydrological drought (SFI lower than  $-1.5$ ) at Borgoforte (for details not shown here see the April Bulletin of the Permanent Observatory on water use - Po River District Basin Authority).



**Figure 8:** Standardized Flow Index (SFI) at Piacenza section from October 2021 to March 2022. Source: Permanent Observatory on water use - Po River District Basin Authority.

The average precipitation deficit since the beginning of the year is about 70-80% in mid-April. Local and sparse precipitation between the end of March 2022 and the beginning of April 2022 were not enough to compensate this severe deficit.

The Po river discharge is deteriorating again after a slight and brief increase, with the most critical value recorded in Piacenza ( $253 \text{ m}^3/\text{s}$  discharge corresponding to 74% reduction w.r.t. the average value). Most of the tributaries have very low flows close to their minimal ecological flow for summer<sup>7</sup>.

Sea water intrusion in the Po River Delta, which is a major cultivation zone, is extremely severe (mid-April 2022). Indicator values are comparable to the reference critical threshold


<sup>7</sup> <https://www.adbpo.it/15093-2/>

# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022

corresponding to a river discharge of 450 m<sup>3</sup>/s (Fig. 9). This critical threshold has been defined as the level when also thermo-electrical power plants have cooling systems problems for the lack of water.




**Figure 9:** Sea water intrusion distance in km at mid-April 2022 compared to the values corresponding to the reference critical threshold of 450 m<sup>3</sup>/s river discharge (upper) and location of river branches (lower). Source: Permanent Observatory on water use - Po River District Basin Authority.

### Snow Water Equivalent<sup>8</sup>

This section is based on data and information provided by the operational snow monitoring system for Italy (S3M-Italy) developed and maintained by CIMA (Centro Internazionale in Monitoraggio Ambientale, International Center for Environmental Monitoring) Research Foundation on behalf of the Italian Civil Protection Department (DPC). This system provides hourly snapshots of snow depth and mass content (Snow Water Equivalent, SWE) at 200 m resolution.

In the Italian Alps, the snow season started with average snow accumulation in November 2021, but a much drier period followed. Consequently, snow water resources in the Italian Alps were below the first quartile of the 2009-2021 climatology in February 2022 (Fig. 10) and continued to be so in early April. Current conditions correspond approximately to 40% of the 2009-2021 median conditions (-61% deficit, slightly lower than the -65% on the 28th of February). A short precipitation period at the beginning of April helped to reduce the SWE deficit thanks to a slight accumulation contribution and to the reduction of the just starting melting processes at the medium-low altitudes.




**Figure 10:** Normalized Snow Water Equivalent for the 2021-22 snow season (black line) compared to the 2009-2021 climatology for all the Italian Alps. The red line represents the median (Q2), while the light red area encloses the zone between the first (Q1) and last (Q3) quartiles.

<sup>8</sup> CIMA Research Foundation

### Seasonal forecast

The Indicator for 'forecasting unusually wet and dry conditions' provides early risk information for Europe. The indicator is computed from forecasted SPI-1, SPI-3 and SPI-6 derived from the ECMWF seasonal forecast system SEAS5.

Severely drier than normal weather conditions are predicted over southern Europe in the period April-June 2022 (Fig. 11). These negative forecasts raise concerns for the evolution of the current drought. Monitoring its evolution in the next months is essential for risk and impact assessment and early warning.




**Figure 11:** Indicator for forecasting unusually cumulative wet and dry conditions for 3 months until June 2022.

## Reported impacts

### Energy

The latest data from the ENTSO-E Transparency Platform (Fig. 12) shows that the generation from run-of-river plants in the weeks 1-14 (until the beginning of April) was lower than the values observed during the same period in the period 2015-2021 for many European countries, in particular for: France (-1775 GWh from the average), Italy (-1770 GWh), Portugal (-1440 GWh). A similar situation is visible for the reservoir levels. At the beginning of April the hydropower storage level for Spain, Portugal, and Italy is lower than the one in the period 2015-2021 (respectively -3040 GWh, -1050 GWh and -400 GWh). Also the Norwegian reservoirs show lower than usual level (-7550 GWh).

This suggests that the operators had difficulties in filling the storages and – at the same time – tried to maximise the use of the hydropower generation to satisfy the growing national demands considering its lower cost compared to the rest of the production assets.<sup>9</sup>



**Figure 12:** Percentage difference between the cumulative hydropower run-of-river generation and storage levels for the week 14 of 2022 compared to the same week in the period 2015-2021. Data from the ENTSO-E Transparency Platform (retrieved 20/04/2022).


Italian hydropower generation has been particularly affected by the drought, especially in the northern part of the country, where most of the installed capacity are located. The water levels

---

<sup>9</sup> European Commission Joint Research Centre Directorate C: Energy, Transport & Climate Unit C.7: Knowledge for the Energy Union

in many Italian reservoirs are below the minimum historical values (considering the period 1970–2019) since September 2021 (monthly bulletins data from Terna S.p.A<sup>10</sup>). At the beginning of April 2022, the stored energy value in the Italian reservoirs was 1880 GWh, i.e. 27.2% of the total storage capacity vs the historical (1970–2019) observed minimum of 27.5% for the same period. The Italian transmission system operator provides statistics at national level only, but the weekly level of the storages is also available at subnational level (bidding zones). Figure 13 shows the level of the hydropower reservoirs in the North bidding zone<sup>11</sup> for the period 2015–2022. The latest data show an amount of stored energy of 677 GWh at week 14, 22.3% less than the 8-year minimum (872 GWh in 2021).

The low level of the European hydropower reservoirs may exacerbate the current situation of the European power markets which are already experiencing record-breaking wholesale prices.<sup>12</sup>



**Figure 13:** Hydropower storage levels in North of Italy for the period 2015–2022. Each grey line represents a specific year. The black line is associated with 2022. Source: ENTSO-E Transparency Platform.

More in details, the stored water volume in the artificial mountain reservoirs (including hydropower, drinking water, and agricultural uses) is below the period average (2006–2020) in


<sup>10</sup> <https://www.terna.it/en/electric-system/publications/monthly-report>

<sup>11</sup> The North bidding zone includes the following Italian regions: Valle d’Aosta, Piemonte, Lombardia, Veneto, Liguria, Friuli Venezia-Giulia, Trentino Alto Adige, Emilia-Romagna

<sup>12</sup> European Commission Joint Research Centre Directorate C: Energy, Transport & Climate Unit C.7: Knowledge for the Energy Union



almost all the sub-basins. Many values are critical and close to the historical minimum (Fig. 14). On average, the water availability in the mountain reservoirs is below the average and corresponds to 37% of the total available volume.



**Figure 14:** Cumulative stored water volume at mid-April 2022 (blue bars), average stored water volume for the same period (2006-2020, yellow bars), and historical minimum volume (red line) for mountain reservoirs for, each sub-basin of the Po basin from west to east, source to outlet. Source: Permanent Observatory on water use - Po River District Basin Authority.

### Agriculture

According to the latest edition of the JRC MARS Bulletin on Crop Monitoring in Europe published on 26 April 2022<sup>13</sup>, winter crops in Spain and Italy are in sub-optimal conditions, as water stress has reduced the yield potential, despite the colder-than-usual weather that reduced evapotranspiration. Notably in Italy, most regions have shown a persistently negative water balance since the beginning of winter, and rain is needed to avoid further reduction of the yield potential of winter crops and to create favourable conditions for efficient fertiliser applications and summer crop sowings.

As shown in previous sections of this report, water availability for irrigation will be lower than usual. The Po river and its main tributaries are at very low discharge levels and limited recharge is expected from snowmelt. Water use by irrigation already started, which means that competition for water will start sooner than usual with possible negative effects on the rice-

<sup>13</sup> <https://publications.jrc.ec.europa.eu/repository/handle/JRC127960>

# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022



sown area that, without significant precipitation during spring, could be reduced. The peak in water demand will occur in May because of the overlapping water demand from rice and maize producers.<sup>14</sup>

According to the Permanent Observatory on water use over Po River district, most of the agricultural sector has been forced to postpone the sowing by two weeks, confirming water availability for irrigation purposes at historic lows. Due to the critical situation at the Po River Delta caused by sea water intrusion, it is difficult to derivate water for irrigation during high tide. Drinking water emergency, compensated by the dispatch of tankers, concerns some Piedmont municipalities and some Lombardy areas (Varese and Brescia).<sup>15</sup>

---

<sup>14</sup> European Commission Joint Research Centre Food Security Unit – D5

<sup>15</sup> <https://www.adbpo.it/15093-2/>

### ***Glossary of terms and acronyms:***

ARPA	Agenzia Regionale per la Protezione dell'Ambiente
CEMS	Copernicus Emergency Management Service
CIMA	Centro Internazionale in Monitoraggio Ambientale
DPC	Dipartimento di Protezione Civile
EDO	European Drought Observatory
EC	European Commission
ECMWF	European Centre for Medium-Range Weather Forecasts
ERA5	ECMWF Reanalysis v5
ERCC	European Emergency Response Coordination Centre
FAO	Food and Agriculture Organization of the United Nations
FAPAR	Fraction of Absorbed Photosynthetically Active Radiation
GDO	Global Drought Observatory
GPCC	Global Precipitation Climatology Centre
JRC	Joint Research Centre
LFI	Low-Flow Index
MARS	Monitoring Agricultural ResourceS
RDri-Agri	Risk of Drought Impact for Agriculture
SFI	Standardized Flow Index
SMA	Soil Moisture Index (SMI) Anomaly
SMI	Soil Moisture Index
SPI	Standardized Precipitation Index
SWE	Snow Water Equivalent

### ***EDO indicators versioning:***

The GDO/EDO indicators appear in this report with the following versions:

GDO Ensemble Soil Moisture Anomaly, v.2.3.0

FAPAR (fraction of Absorbed Photosynthetically Active Radiation) Anomaly 1.3.2

Indicator for forecasting unusually wet and dry conditions 1.0.0

Precipitation (GPCC) 1.2.0

Standardized Precipitation Index SPI ERA5 (1/4-dd resolution). SPI ERA5 is a provisional dataset which replaces SPI Blended and Interpolated (v.1.2.0), unavailable in the considered period due to an issue in source data.

Low-Flow Index 2.1.0

Check <https://edo.jrc.ec.europa.eu/download> for more details on indicator versions.

# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022



### **Distribution:**

For use by the ERCC and related partners, and publicly available for download at GDO website:  
<https://edo.jrc.ec.europa.eu/reports>

### **List of Figures**

<b>Figure 1:</b> Standardized Precipitation Index SPI-3 in March 2022.....	2
<b>Figure 2:</b> Standardized Precipitation Index SPI-1 in March 2022.....	3
<b>Figure 3:</b> Ensemble Soil Moisture Anomaly - end of March 2022.....	4
<b>Figure 4:</b> FAPAR Anomaly - end of March 2022.....	5
<b>Figure 5:</b> Low-Flow Index (LFI) at the end of March 2022. A Low-Flow Index of 0 corresponds to no drought and a value of 1 to the highest drought hazard. ....	6
<b>Figure 6:</b> Water level time-series of the Danube (Budapest) from 25 <sup>th</sup> March 2022 to 22 <sup>nd</sup> April 2022. Source: Hungarian Hydrological Forecasting Service ( <a href="https://www.hydroinfo.hu">https://www.hydroinfo.hu</a> ) .....	7
<b>Figure 7:</b> Water level trend of the Danube (Budapest). Source: Romanian National Institute of Hydrology and Water Management (Institutul National de Hidrologie si Gospodarie a Apelor <a href="http://www.inhga.ro">http://www.inhga.ro</a> ).....	7
<b>Figure 8:</b> Standardized Flow Index (SFI) at Piacenza section from October 2021 to March 2022. Source: Permanent Observatory on water use - Po River District Basin Authority. ....	8
<b>Figure 9:</b> Sea water intrusion distance in km at mid-April 2022 compared to the values corresponding to the reference critical threshold of 450 m <sup>3</sup> /s river discharge (upper) and location of river branches (lower). Source: Permanent Observatory on water use - Po River District Basin Authority. ....	9
<b>Figure 10:</b> Normalized Snow Water Equivalent for the 2021-22 snow season (black line) compared to the 2009-2021 climatology for all the Italian Alps. The red line represents the median (Q2), while the light red area encloses the zone between the first (Q1) and last (Q3) quartiles. ....	10
<b>Figure 11:</b> Indicator for forecasting unusually cumulative wet and dry conditions for 3 months until June 2022.....	11
<b>Figure 12:</b> Percentage difference between the cumulative hydropower run-of-river generation and storage levels for the week 14 of 2022 compared to the same week in the period 2015-2021. Data from the ENTSO-E Transparency Platform (retrieved 20/04/2022). ....	12
<b>Figure 13:</b> Hydropower storage levels in North of Italy for the period 2015-2022. Each grey line represents a specific year. The black line is associated with 2022. Source: ENTSO-E Transparency Platform. ....	13

**Figure 14:** Cumulative stored water volume at mid-April 2022 (blue bars), average stored water volume for the same period (2006-2020, yellow bars), and historical minimum volume (red line) for mountain reservoirs for, each sub-basin of the Po basin from west to east, source to outlet. Source: Permanent Observatory on water use - Po River District Basin Authority. .... 14

# GDO Analytical Report

## Drought in Europe - April 2022

JRC Global Drought Observatory (GDO) of the Copernicus Emergency Management Service (CEMS) - 29/04/2022



### Authors:

European Commission, Joint Research Centre, Dir. E Space, Security & Migration, Disaster Risk Management Unit - Drought Team

Toreti A.<sup>i</sup> (Team Leader)  
Bavera D.<sup>ii</sup> (Lead Author)  
Cammalleri C.<sup>i</sup>  
de Jager A.<sup>i</sup>

Di Ciollo C.<sup>iii</sup>  
Maetens W.<sup>i</sup>  
Magni D.<sup>ii</sup>  
Masante D.<sup>i</sup>

Mazzeschi M.<sup>iv</sup>  
McCormick N.<sup>i</sup>  
Spinoni J.<sup>i</sup>

European Commission, Joint Research Centre, Dir. D Sustainable Resources, Food Security Unit – AGRI4CAST Team

Niemeyer S.<sup>i</sup> (Team Leader)  
Manfron, G.<sup>i</sup>

Seguini L.<sup>i</sup>  
van den Berg M.<sup>i</sup>

European Commission, Joint Research Centre, Dir. C Energy, Transport & Climate, Knowledge for the Energy Union Unit

De Felice M.<sup>i</sup>

Centro Internazionale in Monitoraggio Ambientale (CIMA), International Center for Environmental Monitoring Research Foundation

Avanzi F.<sup>v</sup>  
Naumann G.<sup>v</sup>

Rossi L.<sup>v</sup>  
Gabellani S.<sup>v</sup>

Po River District Basin Authority (Autorità di Bacino Distrettuale del Fiume Po)



Gardella M.<sup>vi</sup>

Leoni P.<sup>vi</sup>

**Disclaimer and Legal Notice:** this report by the European Commission Joint Research Centre (JRC) is based on products under constant development that may change at any time without notice. It was generated using the Copernicus Emergency Management Service information (2022). The views here expressed may not be regarded as an official position of the European Commission (EC) in any circumstances. The designations employed and the presentation of material on the map do not imply the expression of any opinion whatsoever on the part of the European Union concerning the legal status of any country, territory or area or of its authorities or concerning the delimitation of its frontiers or boundaries.



<sup>i</sup> European Commission Joint Research Centre, Ispra, Italy

<sup>ii</sup> Arcadia SIT, Vigevano, Italy

<sup>iii</sup> Arhs Development, Milan, Italy

<sup>iv</sup> Uni Systems, Luxembourg

<sup>v</sup> CIMA Research Foundation

<sup>vi</sup> Po River District Basin Authority (Autorità di Bacino Distrettuale del Fiume Po)

## **GETTING IN TOUCH WITH THE EU**

### **In person**

All over the European Union there are hundreds of Europe Direct information centres. You can find the address of the centre nearest you at: [https://europa.eu/european-union/contact\\_en](https://europa.eu/european-union/contact_en)

### **On the phone or by email**

Europe Direct is a service that answers your questions about the European Union. You can contact this service:

- by freephone: 00 800 6 7 8 9 10 11 (certain operators may charge for these calls),
- at the following standard number: +32 22999696, or
- by electronic mail via: [https://europa.eu/european-union/contact\\_en](https://europa.eu/european-union/contact_en)

## **FINDING INFORMATION ABOUT THE EU**

### **Online**

Information about the European Union in all the official languages of the EU is available on the Europa website at: [https://europa.eu/european-union/index\\_en](https://europa.eu/european-union/index_en)

### **EU publications**

You can download or order free and priced EU publications from EU Bookshop at: <https://publications.europa.eu/en/publications>. Multiple copies of free publications may be obtained by contacting Europe Direct or your local information centre (see [https://europa.eu/european-union/contact\\_en](https://europa.eu/european-union/contact_en)).

## The European Commission's science and knowledge service Joint Research Centre

### JRC Mission

As the science and knowledge service of the European Commission, the Joint Research Centre's mission is to support EU policies with independent evidence throughout the whole policy cycle.



**EU Science Hub**  
[ec.europa.eu/jrc](https://ec.europa.eu/jrc)



@EU\_ScienceHub



EU Science Hub - Joint Research Centre



EU Science, Research and Innovation



EU Science Hub

